BULLETIN 1095B

PARTS

MODELS 14 AND 20

TRANSMITTER DISTRIBUTORS (XD)

AND

MODEL 14 DISTRIBUTOR (ED)

TELETYPE®

CORPORATION

SUBSIGNARY OF Western Electric Company INC.

BULLETIN 1095B

PARTS
MODELS 14 AND 20
TRANSMITTER DISTRIBUTORS (XD)
AND
MODEL 14 DISTRIBUTOR (ED)

SKOKIE. ILLINOIS, U. S. A.

LIST OF EFFECTIVE PAGES

JULY, 1962

(Supersedes January, 1958 Issue)

PAGE N UMBER	CHANGE IN EFFECT	PAGE NUMBER	CHANGE IN EFFECT
A, B, & C	CHANGE I	33A	CHANGE I
1	CHANGE 1	338	CHANGE 1
IA	CHANGE I	330	CHANGE 1
16	CHANGE 1	330	CHANGE 1
2 through 24	CHANGE	33€	CHANGE 1
25	ORIGINAL	33F	CHANGE 1
26 through 32 33	CHANGE 1 ORIGINAL	34 through 52	CHANGE I

The above list indicates the effective pages as of the date of Issue. Upon receipt of change pages, insert them numerically and discard any superseded pages.

1095B

TABLE OF CONTENTS

DESCRIFTION	PAGE	DESCRIPTION	PAGE
воѕе	1, 1A, 18	Mounting Plate Assembly	8
Main Shaft	18, 2	Contact Lever Bail	8
Distributar Disks	3	Gear Guards	9
Main Shaft Bracket	4	Top Plate Mechanism	9, 10
Tope Stop Mechanism	4, 8	Contact Lever Assemblies	9, 10
Distributor Brushes	4	Operating Com	10, 11
Stort Mognet Assemblies	4, 14	Tope-Out Contact Assembly	10
Feed Lever Amenbiy	5, 11	Automatic Switching Features	11, 12, 13
Contact Bridge Assemblies	5	Cord Assemblies	13
Terminal Block Assemblies	5	Covers and Panels	15
Slip Connection Strip 5		Motors and Geors	16, 17, 18
Transmitter Blackets and		14F, 14G, 14M, 14P, 14AT and 14	
Associated Parts	6	Transmitter Distributors	20, 21, 22
Operating Lever Assembly	6	14T, 14U, and 14AY Distributors	23
Filter Assemblies	6, 7, 13, 14	Variable Features	25 Through 38
Resistors	7, 18	Notes of Explanation	38 Through 41
Governor Circuit Copocitors	7, 18		50 MOOG!! 41
Stop Arm Contact Assembly	7	Numerical Index	42 Through 52

APPARATUS COVERED

MOTOR ARRANGEMENTS:

AA, AB, AC, AD, AE, AF, AG, AH, AJ, AK, AM, AN, AP, AQ, AR, AT, AW, AX, BB, BS, BT, BX, BZ, CA, CD, CQ, CS, CT, DD, DJ, DR, DU, EX, EY, EZ, FH, FM, FP, FR, FS, FW, FZ, GE, GF, GL, GM, GV, GW, GZ, HJ, HP, HQ, HR, HS, HY, JD, JS, JT, KG, KH, KL, KP, KT, KV, KW, KX, LL, LM, LP, LS, LU, LV, LW, LX, LY, LZ, MA, MB, MC, MD, ME, MF, MG, MK, MM, MN, MP, MR, MS, MV, MW, NG, NH.

TRANSMITTER DISTRIBUTORS:

XD18, 21, 22, 23, 24, 30, 32, 33, 34, 39, 45, 48, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 200** thru 214**, 216** thru 219**, 221** thru 238**, 240***, 242**, 243**, 246** ond 247**.

TRANSMITTER DISTRIBUTOR TEST SETS

XD66, ED38, ED30 and ED53.

TELETYPE AND BELL SYSTEM CODE REFERENCE CHART


BELL SYSTEM CODE	TELETYPE CODE				
14A**	XD206**/AJ				
14B**	XD205**/AK				
14 **	XD206**/AA				
140**	XD206**/AB				
1 4R	XD69DJ				
145	XD70DJ				
14W#*	X▶203*±/D」				
14W**-A	XD232**/DJ				
14AA**	XD21900/EZ				
14AB**	XD219**/EY				
14AB(M)	XD95GW				
14AD**	XD219**/EX				
14AE**	XD 04**/DJ				
14AE**-A	XD233**/>J				
14AF**	XD 205**/HR				
14AG	XD88FW				
14AH	XD88FZ				
14AJ	XD90AJ				
14AK	XD OGE				
14AL**	X 200**/FR				
14AM**	XD200**/AJ				
14AN++	XD200**/GD				
14AP**	XD226**/AJ				
14AR**	XD226**/FR				
14AS**	XD226**/GF				
14AU**	XD240°= /LM				
14BD**	XD204**/AJ				


BELL SYSTEM CODE	TELETYPE CODE				
14BE**	XD204°9/DJ				
148F**	XD204**/AA				
148G**	XD204**/HR				
148H**	XD231**/AJ				
148J**	XD231 • • /DJ				
14BK**	XD241**/AJ				
TRANSMITTER DIST	RIBUTOR (6 UNIT)				
26 A**	XD207**/AP				
20B**	XD207**/AN				
TRANSMITTER DISTR	BUTOR TEST SET				
14AT	ED 38GP				
14AW	ED 3BHK				
14	ED38AZ				
14G	ED38BA				
14	ED 33AY				
14P	ED 38CX				
14AY	ED53MH				
14T	ED53CK				
14U	ED53CY				
214A	XD66AJ				
TRANSMITTER D ADAPTER F					
14834	AP8				
TRANSMITTER D					
14C++					

	(1.57.5	arts and Assemblie	redolled.	a rann rinnsiy			
Wr	inkle Finish		Smooth Finish				
Suffix Color		Bell System Code	Suffix	Color	Bell System C⊕de		
AA	Black	37	BB	Black Semi-Gioss	34		
AB AC	Gray Groon	40 39 38	BA	Block High Gloss			
AC	Light Brown	39	85	Gray Green			
AD	Dark Brown	38	BU	Light Gray Semi-Gloss			


BELL SYSTEM ONLY

When ordering parts from this bulletin, prefix each number with the letters TP.







- 1 77078 MAIN SHAFT ASSEMBLY
- 1 87255 MAIN SHAFT ASSEMBLY




- 105071 MAIN SHAFT ASSEMBLY
- (D) 106119 MAIN SHAFT ASSEMBLY








77070 DISK ASSEMBLY (5 UNIT) (WITH & SEGMENTS OF EQUAL LENGTH AND ONE LONGER SEGMENT)





CHANGE I





















FOR CHADLESS TAPE







FOR AUTOMATIC SWITCHING









84593 MODIFICATION KIT FOR CONTROLLING AN EXTERNAL CIRCUIT



FOR AUTOMATIC SWITCHING




97470 POWER CORO ASSEMBLY (20" LONG I




97469 CABLE ASSEMBLY 21" LONG (1865WD)


97716 CABLE ASSEMBLY 41" LONG (1873 & 2844WD)




108254 CORD ASSEMBLY (APPROX. 40°LONG)




104782 TRANSMITTING BRUSH RADIO FILTER ASSEMBLY







A POR EXPLANATION SEE PAGE 41



MOTOR W O	0				Section 5	GEAR	MOTOR	STOP				
ARRANGE -	P	P	MAIN S	HAFT	MOTOR	PINION		SPEED	LEVER	TYPE OF	MOTO	R
MENT	M	M	PART NO.	TEETH	PART NO.	TEETH	SETS	(R.P.M)	SPRING			
86707(AJ)	60	368	80165	44	80166	9	111132	1800	55669	HOV., 60 CYCLE	SYN.	82283
86708 (AK)			80163	4.5	80164	6	111133	1800	55669	HOV., 60 CYCLE	SYN.	82283
87118 (AN)	65	385	84141	42	84142	9	111136	1800	55669			82283
87253 (AT)	83	500	87095	3.6	77025	10	111138	1800	I STATUS MAINTE	HOV, 60 CYCLE	SYN	87252
87373 (88)	52	317	87372	34	87371	6	111144	1800	55669			82283
89522 (BT)	60	368	80165	44	80166	9	111132	1800	55669			
91121 (BX)	60	368	91132	5.3	91131	13	111146	1500	55669			
91707 (GD)	65	385	91705	3.5	91704	9	111148	1500	55669	HOV, 50 CYCLE		
92881 (CT)			87095	3.6	77075	10	111138	1800	1	HOV., 60 CYCLE		
92889 (CS)	64	388	92887	5.4	92944	14	111152	1500	55669	HOV, 50 CYCLE		
95594 (DD)	40	240	80163	45	80164	6	111133	1800	55669	HOV, 60 CYCLE		
97474 (DJ)			91284	47	91285	12	113204	1800	55669			
98552 (DR)			98554	43	98553	0	111144	1800	55669			
99437 (DU)			99407	42	99406	7	111156	1800	55669			
104675 (EZ)			104580	30	104579	7	111162	1800	100000	HOV, 60 CYCLE		
105707 (FZ)			105 705	4.8	105706	4	111165	1800		HOV, 60 CYCLE		
105915 (GM)			87222	44	80166	9	111142	1800		HOV 60 CYCLE		
111001(GV)	A CONTRACTOR OF THE PARTY OF TH		86809	5.1	86810	- 11	111134	1800	55669	HOV, 60 CYCLE		
113396 (HJ)			110884	36	110883	12	113206	1800	55669	HOV, 60 CYCLE		
114337 (HP)			114338	52	114339	8	114590	1800	55669	HOV, 60 CYCLE		
117411 (HY)			77026	3.5	77025	10	113207	1500	55669			
118908(JS)			116766	50	116767	11	106956	1800	55669	HOV, 60 CYCLE		
121430 (KH)			120406	26	120407	7	120413	1500	55669			
123771 (KT)			94098	53	91131	13	111150	1500	55669			
135053(LL)			136036	44	80166	9	136842	1800	1 33003	HOV, 60 CYCLE		
135054(LM)			135035	36	110883	12	136843	1800		HOV, 60 CYCLE		
135170 (LP)			135172	53	135171	14	135173	1500	55669	HOV, 50 CYCLE		
135704(LW)			135067	53	91131	13	136846	1500	55005	HOV, 50 CYCLE		
135705(LX)			135065	50	116767	11	136847	1800		HOV, 60 CYCLE		
135708(MA)			136525	47	91285	12	136849	1800		HOV , 60 CYGLE		
135713(ME)			135062	3.4	87371	6	136851	1800		HOV, 60 CYCLE		
136426 (MK)			136424	4.5	136423	18	136456	1500	1	HOV , 50 CYCLE		
136554(MM)			136952	48	136552	1.4	136555	1800				
136605 (MN)			136542	56	136541	13	136540	1500	1	HOV , 60 CYCLE	OVA	0220
136854 (MP)		CONTRACTOR STATE	136856	49	114454	11	136855	1800				
138869 (MR)			136952	48	136552	14	138893	1800		HOV, 60 CYCLE		
138870 (MS)	67		107462	49	107463	15	136833	1500		HOV, 50 CYCLE		
139109 (MV)	67	Profesion's	114455	49	114454	11	114456	1800	55669			
139196 (MW)	58	Principal Control of the Control of	136542	56	136541	13	136540	1500	22003	240V.50 CYCLE		
	100000	1340	130046	3.0	120241	10	100040	1300	1	24UV DU GTGLE	20 T (N	12990







MOTOR	1 1 1	0		GEA	Addition to the same of the sa		GEAR MO		STOP LEVER SPRING	TYPE OF MOTOR
ARRANGE -	P	p	MAIN S	MAIN SHAFT		PINION	10.791 (20)	SPEED		
MENT M N	M	PART NO	TEETH	PART NO.	TEETH	SETS	(R.P.M.)			
86700 (AB)	60	368	77036	40	77034	7	111129	2102	80581	HOV., AC. GOVERNED 122295
86702 (AD)	60	364	77062	3.9	77061	9	111130	1579	80581	HOV. A.C. GOVERNED 122295
86704 (AF)	4 1	249	80939	40	80938	5	111131	1992	80581	HOV. A.C. GOVERNED 122295
86706 (AH)	8.3	500	77026	3.5	77025	10	113207	1750	80581	HOV, AC. GOVERNED 122295
87119 (AP)	6.5	385	84139	49	84140	9	111135	2100	80581	HOV., A.C. GOVERNED 122295
37120 (AQ)	45	273	77036	40	77034	7	111129	1560	805.81	HOV, A.C. GOVERNED 122295
37126 (AW)	45	272	77995	4.5	77994	7	111140	1752	80581	HOV, A. C. GOVERNED 122295
99593 (88)	50	308	89605	40	89604	6	111145	2057	80581	HOV, A. C. GOVERNED 122295
04674 (EY)	70	420	104658	4.5	104659	9	111161	2102		HOV, A.C. GOVERNED 122295
05329 (FH)	60	368	77036	4.0	77034	7	111129	210.2		HOV, A.C. GOVERNED 122297
05523 (FR)	60	368	77036	40	77034	7	111129	2102	80581	HOV.,A.C. GOVERNED 122295
05529 (FP)	40	240	105527	3.5	105528	4	111163	2102	-	HOV, A. C. GOVERNED 122295
05708 (FW)			105702	5.6	105703	4	111164	2102		HOV.A.C GOVERNED 122295
05905 (FS)			77036	40	77034	7	111129	2102	80581	HOY, A. G. GOVERNED 122297
05927 (GL)			84357	40	77034	7	111141	2102	00001	IIOV.A.C GOVERNED 122295
07356 (GE)	60	368	77036	40	77034	7	111129	2102		HOV, A C. GOVERNED 122295
11604 (GW)	70	420	104658	4.5	104659	9	111161	2102		HOV, A. G. GOVERNED 122295
12611 (GZ)	60	368	77036	4.0	77034	7	111129	2102		HOV. A.C. GOVERNED 122295
14610 (HQ)	70		91282	32	91283	7	113205	2102	80581	HOV.A.C. GOVERNED 122295
17771 (JO)	59	354	77062	3.9	77061	9	111130	1536	80581	HOV.A.C GOVERNED 122295
19660 (JT)	80	490	104580	3.0	104579	7	111162	2102	80 581	HOV.,A. C. GOVERNED 122295
21085 (KG)	71	428	121087	49	121086	10	136841	2102	80581	HOV A. G GOVERNED 122295
21467 (KL)	65	390	91505	5.4	91504	10	111147	2102	80581	HOV.A.C. GOVERNED 122295
23314 (KP)			123712	5.3	123711	10	123710	2102	80581	HOV.A.C. GOVERNED 122295
24417 (K V)			123718	5.3	123717	8	123716	2102	- 400	HOV, A C GOVERNED 122295
35703 (L V)	60	368	135068	40	77034	7	136845	2102		HOV.A.C GOVERNED 122295
35706 (L Y)	6.6	396	135066	5.3	123711	10	136848	2102		
35707 (L Z)			135066	53	123 71 1	10	136848	2102	80581	The second secon
3 5 710 (MC)	7.5		135064	3.2	91283	7	136850	2102	80581	
35712 (LS)	100		135061	3.5	77025	10	136844	2102	80581	HOV.,A.C. GOVERNED 122295
35 715 (MG)			135069	5.3	123717	8	136852	2102	80581	
42 723 (NG)			142716		104659	9	142718	2100	90361	HOV., A.C. GOVERNED 122295


PAGES 20 THROUGH 22 COVER ADDITIONAL PARTS FOR 14F, 14G, 14M, 14P, 14AT AND 14AW TEST DISTRIBUTORS AND THE 14B TRANSMITTER DISTRIBUTOR MOUNTING PLATE. ALL OTHER PARTS ARE SAME AS SHOWN ON THE PRECEDING PAGES.


100







135051 MAIN SHAFT ASSEMBLY








A FOR EXPLANATION SEE PAGE 41











THE PARTS LISTED BELOW ARE USED ONLY ON

14T, 14IJ AND 14AY DISTRIBUTORS. ALL OTHER

PARTS ARE SAME AS SHOWN ON PAGES

1 THROUGH 18.

92489 DISK ASSEMBLY - WITH 8 SEGMENTS OF EQUAL LENGTH
92497 CABLE, LINE - 1680WD

92490 PINION - 11 T FOR 341 R.P.M. GIVING A FREQUENCY
92491 GEAR -58T CORRESPONDING TO 368 O.P.M.

95198 PINION - 14T FOR 427 R.P.M. GIVING A FREQUENCY
95199 GEAR - 59T CORRESPONDING TO 460 O.P.M.


1-4

PAGES 25 THROUGH 378 COVER

VARIABLE FEATURES FOR THE MODELS

14 AND 20 TRANSMITTER DISTRIBUTORS

Tar.





* REVERSIBLE IN POSITION

115836 MODIFICATION KIT TO EQUIP A 5 UNIT ED38 WITH INTERCHANGEABLE SEGMENT CODE DISKS


	GODE DISK	CODE DISK #2	CODE DISK #3	GODE 0:5K #4	B CODE DISK	DISK #0	
NEW STYLE ASSEMBLY NUMBER	126786	126767	126766	126769	126790	67406 (BLANK)	
	87393	87494	87395	87396	87397	87406	
	87145	87413	87416	87419	87149		
2020	87409	107490	87417	87420	105173		
OLD	87410	87416	96475	87152	87422		
STYLE	87411	87414	96476	87421	87153		
PART	112585	105172	87418	103798	103799		
	92433	104767	87147	96478	96479		
	87412	87415	96477	87148	87423		
	104093	101273	87151	112586	87424		

⁽A) FOR EXPLANATION SEE PAGE 41







110895 MODIFICATION KIT TO EQUIP UNIT WITH 60 CYCLE SYNCHRONOUS MOTOR FOR 100 WPM OPERATION 110896 MODIFICATION KIT TO EQUIP UNIT WITH GOVERNED MOTOR FOR 100 WPM OPERATION





111126 MODIFICATION KIT TO PROVIDE TAPE FEED WHEEL RELEASE 136098 MODIFICATION KIT TO PROVIDE TAPE FEED WHEEL RELEASE





112119 MODIFICATION KIT TO PROVIDE TAPE FEED SUPPRESSION














THE 113765 THROUGH 113775 AND 136025 THROUGH 136027 MODIFICATION KITS (SEE PAGE 33) ARE TO PROVIDE AN ALL STEEL INTERNAL EXPANSION CLUTCH







FRONT PANEL




SIDE PANEL & RELAY ASSEMBLY

TRANSMITTER COVERS






82084 SET OF PARTS FOR BELL-ON-BLANK MECHANISM (BLACK GLOSS) 88095 SET OF PARTS FOR BELL-ON-BLANK MECHANISM (WALNUT)




111455 BREAK-LOCK MECHANISM




SPECIFICATION 5489S


111453 MODIFICATION KIT TO PROVIDE BREAK-LOCK MECHANISM (INCLUDES ALL PARTS LISTED ON THIS PAGE)




136126 MODIFICATION KIT TO PROVIDE A MODEL 14
TRANSMITTER DISTRIBUTOR WITH AUXILIARY
CONTACTS FOR BLINDING SELECTOR MAGNETS
OF AN ASSOCIATED PRINTER AND/OR REPERFORATOR.



136100 MODIFICATION KIT TO PERMIT A MODIL 14
TRANSMITTER DISTRIBUTOR TO TRANSMITT EITHER
11/16" OR 7/8" WIDTH YAPE.





GEAR CHART
(WITH ASSOCIATED MOTOR AND PINION)

1	MODIFIGATION	O.P.M.	W.P.M.	TYPE OF MOTOR	GEA	AR	PINION MATE
-	KITS	U.F.M.	W. P. DIL	TIPE OF MOTOR	PART NO.	TEETH	(SEE NOTE)
	113765	368	60	60 CYCLE A.C. SYNC.	135036	44	80166 (9T)
	113766	368	60	D.C. SHUNT & A.C. SERIES	135068	40	77034 (7T)
1	113767	368	60	50 CYCLE A.C. SYNC.	135067	53	91131 (137)
1	113768	396	66	60 CYCLE A.C. SYNC.	135065	50	116767 (11T)
1	113769	396	66	D.C. SHUNT & A.G. SERIES	135066	53	123711 (IOT)
1	1137.70	460	75	60 CYGLE A.C. SYNG	136525	47	91285 (12T
ा	113771	460	75	D.C. SHUNT & A.C. SERIES	135064	32	91283 (7T)
B	113772	600	100	60 CYCLE A.C. SYNC.	135035	36	110883 (12T)
0	113773	600	100	D.C. SHUNT & A.C. SERIES	135061	35	77025 (IOT)
	11 37 74	317	50	60 CYCLE A.C SYNC	135062	34	87371 (6T
	113775	317	50	D.C. SHUNT & A.C. SERIES	135069	53	123717 (BT)
	136025	428	71.3	60 CYCLE A.C. SYNC.	136580	42	136 579 (IOT)
1	136026	390	65	60 CYCLE A.C. SYNC.	136583	60	136582 (13T)
	136027	428	71.3	D.C. SHUNT & A.C. SERIES	136585	49	121086 (10T

1 FOR EXPLANATION SEE PAGE 32

NOTE

THE MOTOR PHOON IS NOT ENCLUDED WITH THE MODIFICATION KITS, HOWEVER WHEN CONVERTING TO 100 WELL OPERATION THE PINION MATE IS FURNISHED.

MODIFICATION KITS AND VARIABLE FEATURES

(Parts are illustrated on the pages indicated)

Set	Part			Page	Specification .
Number	Number	Description	Quantity		Number
82378	Modification	Kit for D.C. Governed Spark Protection		7	50335
B3844	Modification	Kit for A.C. Governed Spark Protection		7	5058\$
87390	Modification	Kit for Universal Release Magnet		4	51045
97451	Modification	Kit to provide tape stop mechanism			5230 S
	1177	Screw	2	10	
	2191	Wosher, Lock	2	10	
	97447	Pin, Canlact	1	10	
	97448	Guide, Contact Pin	1	10	
	97449	Cable	1	10	
	97467	Contact Assembly, Tope-Out	2	30	
	* 974 68	Plate, Tope Guide	1	10	
	101393	Lid Assembly, Tope Retaining	1	10	
	101715	Spring Assembly	5 2	10	
	110743	Woshor, Lock		10	
	125011	Washer, Flat	2	10	
	151657	Sciow	2	10	
	*Used in p	lace of the 111627 tape guide plate.			
98137		Kit to cover on XD230** to an XD209** XD53 to XD71 transmitter - distributor)			523 0S
	1177	Screw	2	10	
	2191	Washer, Lock	2	10	
	7002	Washer, Flat	2	9	
	# 41382	Spring	5	Not Illustrated	
	9625BR	Wire, Connector (3" Red)	1	Not Illustrated	
	97447	Pin, Contact	1	10	
	97448	Guide, Cantact Pin	1	10	
	97467	Cantact Assembly, Tape-Out	1	10	
	98069	Gulde, Tope	1	9	
	101393	Lid Assembly, Tope Retaining	1	10	
	110743	Washer, Lack	2	10	
	12,5011	Washer, Flat	2	10	
	151631	Screw	2	10	
	fixed in p	place of the 81731 Spring shown on Page 9			
	at battom	right hand comer of page.			
101389		Kit to equip on XD to handle fully perforated, spiliced chadless tape.		10	5230\$
	2191	Washer, Lack	1	10	
	3649	Washer, Flai		10	
	101439	Stop, Feed Lever	1	10	
	101441	Cam, Operating	ı	10	
	101715	Spring Assembly	5	10	
	111627	Plote, Tape Guide	1	10	
	111631	Lid Assembly, Tope Retaining	1	10	

Set	Part			Page	Specification
Number	Number	Description	Quantity	Number	Number
101481	Modification	Kit to provide tape-out mechanism			52305
	1177	Screw	2	10	
	2191	Wesher, Lack	2 2	10	
	80342	Screw	2	10	
	97.447	Pin. Contact	2	10	
	97 448	Guide, Contact Pin	1	10	
	97449	Cable	1	10	
	97467	Contact Assembly, Tape-Out	1	10 10	
	110743	Wosher, Lock	2		
	125011	Washer, Flat	2	10 10	
104517		Kit to convert a 14A** too 14AA** transmitter-			5391\$
	distributor.				
	2191	Wosher, Lock	1	1	
	2191	Wosher, Lock	1	10	
	2191	Washer, Lock	ŧ0	12	
	3578	Nut	2	12	
	3649	Wosher, Flat	1	10	
	7002	Washerr Flat	1	1	
	8308	Clamp, Cable		1	
	72508	Screw		12	
	73670	Block Assembly, Terminal	7	12	
	74962	Spring	1	12	
	74986	Scrow		11	
	76117			10	
	90460	Block Assembly, Terminal		12	
	81258	Clamp, Coble	2	12	
4 165	85483	Screw Plate	3	3	
	98414	Eccentric		20	
	101393		2	28	
	101439	Lid Assembly, Tope Retaining		10	
	101715	Stop, Feed Lever Spring Assembly	6	6 & 10	
	102970	Plate, Bose	1	10	
	104579	Pinion (71)	1	16	
	104580	Gear (30T)	1	16	
	104557	Guard, Gear	3	1 & 9	
	104662	Cable Assembly	1	13	
	104663	Cord Assembly, Power	1	13	
	104669	Mognet Assembly	1	14	
	104676	Strip, Terminal Block	1	12	
	104677	Disk Assembly, Retaining	1	3	
	104578	Disk Assembly	1	3	
	104782	Filter Unit	i	13	
	104801	Cord Assoly	3	13	
	104841	Guide, Tope	1	15	
	104872	Clutch Lever Amenbly	1	11	
	105057	Plate, Tape Guide	1	28	
	105071	Shaft Assembly, Main	1		
	118453**	Plate	1	2	
	120450	Plota, Code (Bell)	1	15	
	151346	Screw	2	20	
	151346		2 2	28	
	151693	Screw		12	
	131373	Screw	2	12	

Set Number	Part Number	Description	Quantit	-	Specification Number
			(0.6)		53915
104518		Kit to convert the 140° (AC governed) or 140° or 14A0° transmitter-distributor.	(DC)		33713
	104658	Geor (457)	1	18	
		Pinion (9T)	1	18	
	the so	ther parts included in this modification kit are ame as the 104517 listed on page 35, except e gear and pinion change.			
106922	Modification	Kit to provide end-of-tope stop pin mechanism			52305
	1177	Screw	2	10	
	2191	Wosher, Lock	2	10	
	97447	Pin, Contact	1	10	
	97448	Guide, Contact Pin	1	10	
	97467	Contact Assembly, Tope-Out	1	10	
	97468	Plate, Tope Guide (used in place of 111627)	1	10	
	101393		1	10	
		Lid Assembly, Tape Retaining	1	13	
	108254	Cold Assembly	2	10	
	110743	Washer, Lock	2		
	1116BB	Wire, Connector (18" Olange)		Not Illustrated	
	111689	Wire, Cannector (14" Red)	1	Not Illustrated	d
	125011	Washer, Flot	2	10	
	151631	Screw	2	10	
110895		Kit to equip unit with 60 cycle synchronous WPM operation		26	5481\$
110896	Modification for 100 WPM	Kit to equip unit with governed motor operation		26	54815
111126	Modification	Kit to provide hape food wheel release		27	5526\$
112119	Modification	Kit to provide tope feed suppression		28	5500\$
113717	Modification	Kit to provide a subout deleting mechanism		29 & 3%	5718\$
113751	Madification	Kit to provide end-of-tope stop			5230\$
	1177	Screw	2	10	
			2	10	
	2191	Worker, Lock	1	Not Illustrate	
	962 5 8R	Wire, Connector (3" Red)	1		O
	97.447	Pin, Contact	1	10	
	97448	Guide, Contact Pin		10	
	97467	Contact Assembly, Topa-Out	1	10	
	110743	Wesher, Lock	2	10	
	125011	Washer, Flot	2	10	
	151631	Screw	2	10	
11 3765					
Through	Modification	Kit to provide on all steel clutch		32 & 33	57875
113775		The second of th			
1 3//3					

Set	Part			Page
Number	Number	Description	Quantity	Number
136147	(Continued)			
	8670	Roller	1	32
	8671	Screw, Shoulder	1	32
	42661	Spring	1	33
	42823	Washer, Flat	2	32
	46183	Washer, Flat	2	32
	75646	Screw, Drive	2	Not Illustrated
	76058	Post, Spring	1	33A
	76099	Washer, Flet	1	33
	77042	Disk Assembly	1	3
	80342	Screw	2	33
	81814	Stiffener	2	32
	82725	Spring	1	33
	85483	Spacer	!	1
	87401	Spring		33A
	88752	Wick, Felt		32
	101439	Stop, Feed Lever		33
	101715	Spring Assembly	5	33
	104657	Guard, Gear		1
	104669	Magnet Assembly	1	14
	110743	Washer, Lack	4	32
	110885	Ann	1	33 33
	1 10885	Anchar, Spring	2	33
	11 0887	Screw	1	33A
	11 5529	Scraw	1	32
	129289	Disk	,	
	129290	Disk, Adjusting	ļ	32
	129292	Lever, Release	1	32
	135030	Shoft, Main	1	32 32
	135031	Bearing	2	32
	135032	Cover, Bearing	1	32
	135033	Com	1	32
	135034	Drum, Clutch	1	32
	135037	Bearing	4	32
	135038	Screw	2	32
	135039	Screw Rough Holder	1	32
	135042 135070	Arm, Brush Holder Brocket	1	33
	135072	Washer, Lack	2	33
	136949	Com, Reset	1	33A
	136950	Lever, Stop	i	33A
	136951	Lever, Latch	i	33A
	142662	Pinion (111)	i i	Not Illustrated
	142663	Geor (361)	ì	Not Illustrated
	150329	Wick, Felt	í	32
	150040	Screw	i	32
	150043	Shoe, Secondary	i	32
	150044	Shoe, Primary	1	32
	150241	Spring	i	32
	151629	Nut	1	33A
	151728	Spring	1	32
	151737	Screw	2	32
	152893	Screw	2	32
	153538	Screw	2 2	32
	155098	Plate, Potent	1	Not Illustrated

Set Number	Part Number	Description	Quantity		Specification Number
			CEDAMIN		59205
136149		n Kit to equip a Model 14 transmitter- with tape withhold feature.			37203
	3438	Wesher, Flat	1	1	
	3646	Wother, Lock	1	1	
	70466	Speing	1	11	
	77128	Worker, Insulating	4	1	
	80153	Resistor	1	1	
	97452	Lever, Feed	1	11	
	97453	Powl, Feed	1	33	
	97460	Magnet Assembly, Tope Stop	1	11	
	112622	Screw, Shoulder	1	5	
	125330	Screw	1	1	
	142712	Coble Assembly	i	Not Illustrate	d
		The second secon	·	7 10 7 11 7 7 7 1 1 1	
136153		n Kit to convert units equipped with a 60 cycle			57875
	to 600 OPM	motor and an all-metal clutch from 460 OPM			
	2101	Washan Lack	2	33	
	2191	Washer, Lock	1	33	
	42661	Spring		33	
	76099	Washer, Flat	2	33	
	83342	Screw	2	32	
	81814	Stiffener	1	33	
	82725	Spring		33	
	101439	Stop, Feed Lever	5	33	
	101715	Spring Assembly	1	33	
	110883	Pinion (12T)		33	
100	11 0885	Arm	1		
	110886	Anchor, Spring	2	33 33	
	110887	Screw	2	33	
	135035	Gear (36T)	1	32	
	135042	Aim, Brush Holder	1	33	
	135070 135072	Brocket Washer, Lock	2	33	
136154		n Kit to provide positive stop action for o			57875
	Model 14 to metal ciluta	romamitter-distributor equipped with an all			
	8330	Washer, Flat	1	33A	
	49420	Spring	1	33A	
	74691	Resistor	1	1	
	76053	Post, Spring	1	33A	
	85483	Spacer	1	1	
	962048K	Strap (2" Block)	1	Not Illustrated	1
	97401	Spring	1	33A	
	104657	Guard, Gear	1	1	
	104669	Magnet Assembly	1	14	
	115529	Scraw	1	33A	
	136949	Com, Ratet	i	33A	
	136950	Levet, Stop	1	33A	
	136951	Lever, Latch	1	33A	
	151629	Nut	1	33A	
	.3.027				

Set	Part			Page	Spacification
Numbar	Number	Description	Quantity	Number	Number
113776	Modification	Kit to provide tope-out contact Feature			52305
	1177	Screw	2	10	
	97447	Pin, Contoct	1	10	
	97448	Guide, Contact Pin	1	10	
	97449	Coble	3	10	
	110743	Washer, Lock	2	10	
	116904	Plate, Tops Guide	1	9	
	116805	Lid, Retaining	1	9	
	125311	Wosher, Flat	2	10	
	135682	Contact Assembly, Tape-Out	1	10	
	133002	Compet Assembly, Tape Out		10	
115835		Kit to equip a 5 unit ED38 with		25	5715\$
	interchanged	ble segment code disks			
128700	Tarn Feed Ha	le Tope Stop Assembly		31	57415
136025	and lade in			20 8 22	63035
Through 136027	Modification	Kit to provide an all steel clutch		32 & 33	57875
136098	Modification	Kit to provide tope feed wheel release		27	55 26S
136100		Kit to permit a Model 14 transmitter- transmit either 11/16" or 7/8" width tage.		33F	5894\$
	82507	Shim	4	33F	
	110743	Washer, Lock	2	33F	
	138932	Plate, Screw	1	33F	
	138933	Guide, Tape	i	33F	
	138934	Plate, Topa Guide	1	33F	
	139791	Screw. Shoulder	1	33F	
10/10/	A 4 - J: E: 6:	Min no Adada 1.14		33F	58745
136126		Kit to equip a Model 14 transmitter— ith auxiliary contacts for blinding selector		00,	567 43
		ossociated printer and/or reperforator.			
	2191	Washer, Lock	2	33F	
	70388	Spring	1	33F	
	76099	Washer, Flor	1	33F	
	80342	Screw	2	33F	
	84597	Brocket	1	33F	
	107208	Contact Assembly	1	33F	
	150971	Coble	1	33F	
136147		Kit to provide character-by-character basis a Model 141 or Model 20 transmitter-distributor.			57875
	2191	Wesher, Lock	7	32 & 33	
	3595	Nut	2	32	
	3606	Nut	1	32	
	7002	Wosher, Flot	4	32	
	8330	Wesher, Flot	1	33A	
		(Continued on next page)			

Set Part
Number Number Description
Page Specification
Number Number Number Specification
Number Specification
Number Specification
Number Specification
Number Specification

142547 Pinion (IOT)
142548 Geor (281)
Not Illustrated

NOTE: All other parts included in this modification kit same as 136147 listed on page 37 and 37A, except gear and pinion change.

basis approxima on a Model 14 or 20 transmitter-distributar

NOTES OF EXPLANATION

PAGE 1

- (A) The 113812 terminal black assembly and the 142708 slip connector assembly are special connections for the XD247** (F.A.A. only). The 113812 terminal black assembly mounts on the transmitter-distributor and the 142708 slip connector assembly is secured to the transmitter-distributor base in piace of the standard 77125 contact assembly (illustrated on page 6).
- (8) The 97443 base plate has guide rails for sliding into the cabinet whereas 77068 standard base plate has no provision for nails.

The 77068 base plate is the standard plate without provisions for rubber feet.

The 101830 base plate has provisions for rubber feet but are not included with base plate and must be ordered separately.

The 102970 base plate includes three rubber feet for mounting on top of the table.

- (C) The 104657 gear guard is used when the 104661 main shaft assembly and 104669 magnet assembly is used. The gear guard is designed to allow free movement of the 104872 clutch lever assembly. The 84759 gear guard is used with the other applications.
- (D) The 108215 capacitar and 74691 resistor are connected in series to the rest position on the code disk and to the special magnet assembly used on XD95, Bell 14AB(M), receiving distributor.

PAGE 2

(C) The 101441 cam replaces 77074 cam. On orders for the 77074 com, the following pasts (Shown on page 10) will be furnished:

1 - 101441 Com 1 - 101439 Feed Lever Stop 1 - 3649 Flot Washer

For automotic switching the 101441 cam and 93687 flat washer which is part of the 87255 main shaft assembly one replaced by a 97211 com and a 36273 flat washer (See pages 11 and 12).

(D) The 77078 moin shaft assembly is the standard shaft assembly.

NOTES OF EXPLANATION (Continued)

The 87255 moin shoft assembly is the same as the 77078 main shaft assembly except the shaft is slotted from the hub to the upper end of shoft.

The 105071 main shaft assembly is the same as the 77078 main shaft assembly except the lower flange on the hub is designed to allow ample clearance for the 104872 clutch lever assembly to engage the annature plate.

The 106119 main shaft assembly is the same as the 77078 main shaft assembly except, below the hub on the shaft a contact cam has been added (Part of XDBB, Bell 14AG and 14AH only).

PAGE 4

- (A) The 77047 ald style brush holder arm is no longer furnished. On sales orders for 77047, the following parts will be furnished:
 - 1 86815 Brush Holder Arm
 - 1 86816 Eccentric Stop
 - 1 86819 Spacing Collar

The B6B15 brush holder orm is $1/8^n$ shorter than the 77047 bruish holder orm, measured from the center of the clamping slot to the bottom of the sleeve.

The 77141 old style eccentric stop and the 81814 bitish stiffener may be ordered for maintenance, but are not to be used with the 85815 new bijsh holder aim.

- (8) Parts marked (8) are used with the new style universal release naganet assembly only as shown. The old style magnet assembly (which is also used for 220V D.C. appeation) does not use the 84114 yake, 88% shims, 1248 screws nor 86951 resistor; and in place of the 84115 armoture, 178M magnet and 151631 screws, the old style magnet assembly uses 77090 amature, 153M magnet and 125127 screws for 220V D.C. appration, with the 86195 resistor (Shown on page 7). Parts not marked are used on both old and new style magnet assemblies.
- (D) The 123597 tope stop assembly and the 77079 tope stop assembly are the same except, 123597 includes a 102520 slotted rad whereas 77079 includes a 101274 rad.

The 8058) spring is used when units are equipped with the 86960 stop arm contact assembly (Shown on page 7)

PAGES

(A) The 1303 screws are used with the old style six-unit contact screw bridge assembly which uses the 77064 bridge in both upper and lower positions. The mounting holes in the upper and lower bridge thus being in line necessitate the use of the tharter screw, 1303.

On the contact screw bridge assembly using the 84367 bridge in the lawer position, the longer screws, 151693, are used because the mounting hales in the 84367 bridge are in such a position as to stagger the mounting hales of the upper and lower bridge, thus allowing the use of longer screws.

PAGES

(8) In order to provide clearance between the heads of the adjacent mounting screws for the tape feed roll bearing and the tape lever guide, the 151659 screw (6-40 x 1/2°) with a head .062° high replaces the 125155 screw (6-40 x 1/2°) with head .125° high.

NOTES OF EXPLANATION (Continued)

PAGE 8

(A) The numbers listed below have been replaced as follows:

```
+ 77031
          (Formerly 102072 Brocket-Left) Dark Brown Wrinkle
*102067
          (Formerly 77066 Rail-Right) Black Gloss
*102067
          Formerly 102068 Rail-Right) Dork Brown Wiinkle
*102069
          (Farmerly 77127 Rail-Left ) Black Głass
          (Formerly 102070 Roil-Left) Dark Brown Wrinkle
*102069
 115932AD (Farmerly 102066 Transmitter Dist. Mounting Plate) Dark Brown Wrinkle
 11.3932BA (Formerly 77598 Transmitter Dist. Mounting Plate) Black Glass
 115933AD (Farmerly 102065 Mounting Plate) Dark Brown Wrinkte
 115933BA (Formerly 77597 Mounting Plate) Block Gloss
 11 5937 AD (Formerly 102162 Slip Commector Guard) Dark Brown Wrinkle
 1 159378A (Formerly 77625 Slip Connector Guard) Black Glass
 120448CA (Formerly $4136 Tape Stop Switch Assembly) Walnut
 120449CA (Formerly 84135 Swith Cover) Walnut
```

In order to permit reliable grounding between the transmitter-distributar and its awanting plate, the 102067 rail-right and 102069 rail-left (unpainted) replace the 77066, 102068, 77127 and 102070 rails (pointed).

New and old style rails are interchangeable. However, when pointed sails are used, it may be necessary to provide a wire connection through an unused slip connection to ground the unit to the base.


PAGE 9

(A) On transmitter distributors equipped with end-of-tope step mechanism which were operated with spliced chadless tope, failures were encountered when the unit was equipped with the 97445 retaining lid (Figure 1) and the 97468 tope guide plate (Figure 2) shown at bottom of page. To remedy this condition, the 171628 (Figure 3) retaining lid was designed so that the partion of the lid which holds the tape in the guide plate was widened to fully cover the tope and the tape pin clearance hole was decreased in size to reduce the possibility of the tape catching in the hold.

The 111627 tape guide (Figure 4) was designed so that a partian of the shoulder was removed to give clearance for the 111628 retaining lid and the diameter of the hole for the tape contact pin was increased to give clearance for adjustment. The tap edge of the slat in the plate for the five sensing pins were beveled to eliminate the possibility of tape catching on the edges of the slat.

All new standard equipment will have the 111628 retaining tid and 111627 tape guide plate.

INTERCHANGEABILITY The 97445 retaining lid and 97468 tope guide plate can be used together but it is not recommended when spliced chadless tope is used. The 111628 retaining lid and 111627 tope guide plate can be used together for regular, chadless or spliced chadless tope. The 97445 retaining lid and 111627 tope guide plate can be used together but it is not recommended when spliced chadless tope is used. The 111628 retaining lid and 97468 tope guide plate can not be used together.



^{*} Are no longer painted parts.

NOTES OF EXPLANATION (Continued)

PAGE 15

The 80473**, 84553** and 114713** transmitter covers and 103182** panel shown on page 15 replace former numbers as follows:

```
80473AA (Formerly 93012) Block Wrinkle
80473AD (Formerly 101827) Dark Brown Wrinkle
80473BA (Formerly 5555) 8lock Gloss
80473CA (Formerly 80730) Wolnut
84553BA (Formerly 77147) Block Gloss
84553CA (Formerly 84552) Wolnut
103182AA (Formerly 101829) Dark Brown Wrinkle
103182AD (Formerly 101829) Dark Brown Wrinkle
103182BA (Formerly 103184 and 77086) Block Gloss
103182CA (Formerly 103183 and 80732) Wolnut
114713AA (Formerly 101828) Dark Brown Wrinkle
114713BA (Formerly 101828) Dark Brown Wrinkle
114713CA (Formerly 101828) Dark Brown Wrinkle
114713CA (Formerly 80731) Wolnut
118453CA (Formerly 104660) Wolnut
```

PAGE 20

(A) New style test message distributor code disks having interchangeable segments for the station code letters, now replace all old style one piece code disks. When on old style disk is ordered by the part number stamped on the disk a new style disk with the proper segment installed will be furnished. A complete set of code disks with the interchangeable segment feature for conversion in the field can be ordered as a set of parts. Now and aid style parts are interchangeable.

When ordering code disk #5 to replace on old style one piece code disk, it is necessary to use a redesigned code disk hub cover with a cut out portion as illustrated at top of page 25.

PAGE 22

(A) In order to permit reliable grounding between the transmitter-distributor and the transmit

New and old style rails are interchangeable. However, when painted rails are used, it may be necessary to provide a wire connection through an unused slip connection to ground the unit to base.

PAGE 25

(B) When ordering eade disk 15 to replace an old style one piece code disk, it is necessary to use a redesigned code disk hub cover with a cut out parties as illustrated at top of page 25.

NUMERICAL INDEX

Port	Description and	Part	Description and	Port	Description and
Number	Page Number	Number	Page Number	Number	Page Number
153M 190M	Magnet (130 ohms) 39 Magnet (1020 ohms) 11	2669	Washer, Lock, 1A,4,5, 6,7,12,13,20,21,30,	6807	Screw (6-40 x 3/16 Set) 20
198M	Magnet (72 ohms) 4,39		330	6990	Screw (1/4-32 Pilot)
216M	Mognet (100 chas) 33E	2716	Strip, Clonip 31		4,11
235M	Magnet (115 ohms) 14	2846	Wosher, Flat 1	7001	V/osher, Flat 1,2,37
244M	Magnet (925 ohms) 26	2929	Bushing, Insulating 7	7002	Washer, Flat 1,1A, 1B,
1010	Screw (6-40 Shoulder)	2986	Bushing, Insulating 7,16		4, 6, 7, 8, 9, 12, 13, 14,
, , , ,	1A,33C	3043	Resistor (250 ohms) 7, 16,		17,18,20,26,27,28,31,
1029	Screw (4-40 x 1/4 Fil)		17		32,338,33C,33E,34,35,
	4,7,11,12,14,26	3094	Insulator 7,16,17		37
1038	Scrow (6-40 x 9/32 Fil) 14	3153	Post, Spring 20	7067	Coller B
1041	Screw (6-40 Shoulder)	3190	Post, Spring 31	7078	Post 22
	6,33C	3286	Wosher, Flor 1B, 2, 21	7096	Bushing, Insulating 8
1086	Screw (4-40 x 3/8 Set) 9	3339	Nut (9/16-32 Hex) 20	7305	Torget 16,17,18
1093	Screw (8-32 x 7/16 Fil)	3432	Terminal 5,20	7109	Toiget 17,18 Toiget 17,18
	8,22	3438	Wosher, Flat 1,6,7,13,	7111 7398	Plate 8
1103	Screw (3/16-40 Shoulder)	3595	20,30,378 Nut (1/4-32 Hex) 32,37	7399	Stiffener 8
1110	6,8,33C Screw (6-40 Shoulder) 30	3573	Nul (6-40Hex) 1,7,8,	7415	Nut (1/2-32 Hex) 20,21
1118	Screw (4-40 × 3/16 Fil)	2010	10,11,12,14,15,17,22,	7615	Speing 33C, 33E
1163	9,28,33E		28,29,30,33B,33C,33D,	7655	Spring 11
1164	Screw (2-56 x 3/16 Fil) 6		35,37A	7661	Lever, Adjusting 17,18
1166	Screw (4-36 x 1/4 Flat) 3	3599	Nut (4-40 Hex) 7,14,27,	7705	Target 17,18
1177	Screw (6-40 × 11/32 Fil)		28,32	7826	Channel, Rubber 15
****	10,34,35,36,37	3608	Nut (6-40 Hex) 18,6,28,	8222	Strip, Wearing 17,18
1208	Screw (10-32 x 5/8 FII)		29,30,32,33C,33E,37	8303	Clamp, Cable 1,8,35
	20	3618	Insulcitor 9,20	8330	Washer, Flat 4, 14, 15,
1248	Screw (6-40 x 1/2 Flat)	3520	Washar, Insulating 7, 17	2.01	17, 18, 29, 33A, 37, 378
	4,11,22,39	3624	Washer, Brass 9, 20	8425	Tanget 17,18
1253	Screw (B-32 x 1/4 Rd)	3639	Wosher, Lock 6,21,29	8447	Spocer 27 Strip, Wearing 9
	33D	3640	Wosher, Lock 18,3,4,7,	8667	Screw (6-40 Shoulder) 8
1264	Screw (10-32 x 1/2 Flot) 1		9, 11, 12, 14, 22, 27, 28, 29, 31, 32, 330, 33E	8670	Roller 6, 32,37A
1266	Screw (6-32 x 7/16 Rd) 1 4	3646	Washer, Lock 1,7,8,22,	8671	Screw (6-40 Shoulder)
1272	Screw (6-40 x 11/16 FIL)	3040	30,33D,37B,3S	0071	32,37A
1202	28 Screw (4-40 x 1/8 Fil)	3649	Washer, Flat 6, 10, 34,35	8896	Shim (.004") 4,39
1293	9,31	3650	Washer, Brass 8,12	9520	Block Assembly 5
1297	Sciew (4-40 x 2-7/16 Fil)	4293	Insulator B	31636	Spring 29, 338
1277	7,17	4707	Wosher, Flot 5	32454	Nut (5-40 Hex) 4,31
1303	Screw (6-40 x 13/32 Fil)5,39	4708	Spring 5	34432	Washer, Flot 20,21
2034	Washer, Flot 27	4814	Washer, Lock 18,2,20,21	35503	Foot, Rubber 1
2191	Wosher, Lock 1, IA, 1B,	4851	Terminal 13, 14	36273	Wosher, Flot 14,38
	2,4,5,6,7,8,10,11,12,	4871	Screw (10-24 x 4 Rd) 7	41382	Spring 34
	13,14,15,16,17,18,20,	5475	Nut (3/16-40 Hex) B	41675	Wosher, Flot 7,29
	21, 22, 26, 27, 28, 29, 30,	5555	Cover, Transmirter 41	41720	Spring, Contact 11, 30,
	31,32,33,338,3 3 C,33D,	5556	Ptote, Top 9		33C,33F
	33E, 33F, 34, 35, 36, 37,	5566	Collor 22	41732	Plate, Clamp 4,7,8,10,
	37A,37B,38	5599	Nut (8-32 Hex) 8, 22		11,26,29,30,33C,33D, 33E,33F
2201	Nut (5/16-32 Hex) 18,	5740 5905	Screw (2-56 x 1/4 Fil)9,20 Post, Cover Locoting 22	41733	Insulator 4,8, 10,11, 29,
22.43	2,21	5953	Shim (.010°) 33C	41/33	30,33C,33D,33F
2247 2254	Washer, Flot 14 Washer, Brow 7	6033	Y/osher, Lock 22	42661	Spring 26,33,37 A,37 B
2259	Washer, Bross 7	6035	Screw (1/4-20 x 5/B	42823	Washer, Flot 18,5,27,
2382	Wosher, Lock 33C	0000	Hex) 1		32,37A
2438	Washer, Flat 3,4,7,11,	6345	Nul (6-32 Hex) 30	44041	Spacer 22
- 744	14,26	6803	Terminol 5,20	45024	Spring 28

Port	Description and	Port	Description and	Part	Description and
Number	Page Number	Number	Page Number	Number	Page Number
46183	Washer, Flat 18,28,32,	74717	Screw (4-40 x 23/32	77018	Disk, Friction 2
	37A		Fil) 13	77020	Cover, Bearing 2,21
49420	Spring 33A,33E,37B	74727	Terminol 4,33C,330	77021	Bracket 4
50083	Screw (6-32 x 1-1/8 Fil)	74728	Terminal 7,8,11,29,	77022	Brocket 6
	13	/ 4/ 20	33C,33F	77024	Plote, Clemp 4
55669	Spring 4,16,17,26,28,	74757	Bracket, Resistor	77925	Pinion - 1 01 16,17,18,
	29	14131	Mounting 7,17	,,,0	26,33
58221	Screw (6-32 x 1/4 Fil) 5	74838	Cop, Bearing 4	77026	Gear - 35T 16,17,18,
62135	Screw (6-32 x 5/8 Rd)	74952	Screw (4-40 x 5/8 Fil) 11	77020	26
	8,22	74962	Spring 11, 330, 35	77027	Ring, Segment 3
70314	Washer, Flot 30	74965	Bushing, Insulating 11,	77928	Bracket, Brush Holder 1
70361	Resistor Assembly 7,17	, , , , ,	13,29	77030	Torque, Contoct 9,20
70388	Spring 11, 33F, 37, 37B	74966	Buthing, Insulating 33C	77031	Brocket - Luft and Right
70466	Spring I 1	74986	Screw (6-40 x 13/32 Hex)		8,22,40
70497	Nut (5, 16-32 Hex) 20		1,4,26,30	77033	Plate, Tope Guide 33F
70707	Brocket, Mounting 7	75646	Screw, Drive 37A	77034	Pinian - 7T 17,18,21,33
70722	Resistor (500 ohms) 7	75750	Washer, Insulating 7	77035	Bracket 4
70724	Insulator 7	76058	Post, Spring 33A, 37A,	77036	Geor - 40 T 17,18
70823	Scrow (6-32 x 1 Flot) 7		378	77040	Spring, Contact 4,8
70873	Cop, Brush 14	76084	Wosher, Friction 20	770 42	Disk Assembly 3,37A
70887	Nut (10-24 Hox) 7	76085	Disk, Friction 20	77043	Disk 3
71155	Screw (6-32 x 1-1/4	76086	Spring, Fniction 2,20	77046	Strip, Mounting 8
	Flat)7,17,22	76087	Nut (9/16-32 Friction) 20	77047	Arm, Brush Holder 39
71647	Washer, Flat 29	76099	Wosher, Flat 11,15,26,	77048	Bushing, Insulating 4
71659	Screw (6-40 Shoulder) 29		30,33,33C,33F,37,37A,	77049	Lever, Operating 6
71672	Clamp, Cable 8,22		378	770 <i>5</i> 0	Arm 9
71853	Resistor (300 ohms) 7	76114	Screw (10-32 Special) 6,	77051	Pest, Spring 4,31
72069	Shim (,002") 9,31		29,33C	77053	Shaft 4
72074	Brace 5	76117	Block Assembly 12,35	77054	Pest, Spring 4
72088	Screw (6-40 x 1-1/16	76167	Screw (4-40 x 3/16 Hex)	77056	Strip, Mounting 5
	Hex) 20		14	77057	Holder, Biush 4
72137	Shim (.002") 9	76217	Bracket 7,16,17	77038	Hub, Cam 18,2
72139	Plate, Screw 9	76246	Bushing, Insulating 4,8,	77060	Collar 4
72183	Bridge - Short 5		10	77061	Pinion - 9T 17,18
72184	Bridge - Long 5	76277	Stop, Eccentric 8	77062	Geor-391 17,18
72185	Bridge Assembly 5	76284	Strop, Tenninal 5	77063	Post, Stop 4
72194	Dowel 1A	76333	Bushing, Insulating 33D,	77064	Bridge 5,20,39
72284	Post, Spring 29		33E	77065	Ring, Segment 3
72500	Screw (6-40 × 3/4 Hex)	76382	Spring, Contact 30	77066	Roil-Right 40.41
22646	8, 12, 14, 35	76465	Bushing, Insulating B	77068	Plate, Base 1,38
72565	Washer, Lock 20, 21	76484	Fan, Mater 16	77069	Disk 3
72566 72579	Resistor (100-100 ohms) 7,17	76755	Screw (10-32 x 13/16	77070	Disk Assembly 3
72625	Washer, Flot 18,2 Bushing, Insulating 4	7/000	Hex) 23	77072	Disk 3
72644	Bearing, Balt18,2,21	76983	Screw (4-40 x 1-1/4	77073	Ring, Coffector 3
72665	Target 17	77001	Fil) 30	77074	Com 38
72973	Plate, Lid 9	77001	Arm, Stop 4	77075	Insulator 1
73180	Switch, Toggle 1	77003 77004	Ring, Collector IA,3	77078 77079	Shoft Assembly 2, 38, 39
73377	Target 17,18	77007	Bracket 6 Lever - 60 9	77080	Stop Assembly, Tope 4,39 Strip Assembly 5
73670	Block Assembly 12,35	77010	Lever, Feed 5	77082	Bracket 4
73894	Screw (6-40 x 1/8 Set) 31	77011	Bearing, Lever 6	77086	Panel, Snap41
74536	Screw (6-40 x 5/32 Fil) 21	77012	Nut (9/16-32 Friction) 2	77089	Lever Assembly 6
74569	Block, Terminal 5	77013	Guide, Leverá	77090	Amoture 39
74614	Resistor (2600 ohms) 30	77014	Boil9	77091	Caver Transmitter 4:1
74691	Resistor (1600 ahms) 1,	77015	Shoft, Lever 6	77115	Block Assembly 5
/40/1	7,378,38	77013	Block, Terminal 5.20	77116	Bridge Assembly 5
74709	Sozina 28	77017	Plate, Transmitter 6	77121	Plate, Top 9
7 47 07		3 60 14	d. of 17d7Omiliel O		

Part	Description and	Port	Description and	Port	Description and
Number	Page Number	Number	Page Number	Number	Page Number
77123	Spring, Commection -	80352	Governor Assembly	82489	Disk Assembly 23
	Upper 8	GD 102	17,18	82507	Shim (.015") 33F, 37
77124	Spring, Connection - Lower B	30402	Screw (4-40 × 15/32 Fil) 33C	82547	iusulotor 7,26,29,30, 33E
77125	Contact Assembly 8,22,38	80460	Clomp, Cable 12,35	82548	Emulator 7,26,33E
77126	Coble 1,17	80467	Screw (6-40 x 3/8 Fil) 4	82553	Spring, Contact 26
77127	Roil-Left 40,41	80473**	Cover, Tronsmitter 15,41	82555	Spring, Contact 26
77128	Wosher, Ensulating 1,7,	R0508	Screw (4-40 x 25/32	82557	Stiffener 26
	30,378	00.00	Fil) 33C, 33D, 33E	82526	Resistor (20 ohms) 7
77129	Terminal 5	80581	Spring, Clutch Lever	82558	Core, Magnet 14
77130	Guard, Wheel 1	00500	4,7,18,39	82678	Ratoiner, Coil 14
77135	Coble, Control 1	00592	Spring, Contact 33D	82701	Stop Assembly 14
77136	Coble, Line 1	80730	Cover, Trommitter 41	82702	Screw (6-40 x 9/32
77138	Shoft, Main 2	8073	Cover Assembly,	02714	Fliot) 14,17
77140	Nut (9/16 x 32 Hex) 2	007.22	Transmitter 41	82714	Matar, AC
77141	Stop, Eccentric 39	80732	Panel, Snap 41	02725	Synchronous 16
77142	80119	80755	Bushing, Insulating 33C	82725	Spring 26,33,37A,378
77143	Boil Assembly 9	B0757	Screw (10-32 x 1/2 Fil)	82728	Plate, Identification
77144	Boil Assembly 9		20	02720	15,22
77145	Strip, Waaring 9	80938	Pinion -5T 17,18	82729	Plate, Identification
77146	Strip, Weorlng 9	80939	Geor - 40T 17,18	82999	
77147	Cover, Transmitter 411	80957	Screw (4-40 x 1/4 Hex) 4		Spring 28 Screw (4-40 x 3/16 Rd.) 1
77310	Plote, Nonia 1	81258	Screw (6-40 x 5/8 Flat)	83408	
77597	Plater Mounting 40	01644	3,35	83844	Modification Kit 7,34
77598	Plate Assembly,	81564	Screw (6-40 Special) 10	83885	Nut (6-32 Hex) 15
	Mounting 40	81725	Stiffener 27	83974	Fifter Assembly 7
77625	Guard 40	81726	Tenninal 4,10,33E	83975	Brocket 7
77808	Resistor (250 ohms) 7	81 731	Spring 4,5,9,20,34	84047	Plote, Stop 17,18
77920	Screw (6-40 x 1-15/16 Fil): 15	81778 81 814	Screw (4-40 x 3/16 Fil) 8 Stiffener 26,32,37A,378,35	84054	Spring, Connection - Lower 8
77994	Pinion - 71 17,18	81822	Coll, Retard 7	84055	Spring, Connection -
77995	Gear- 45T 17,18	81823	Screw (4-40 x 1-3/32 Fil)		Upper 8
78011	Capacitar - 1 MF 7		7	84056	Stiffener 8
78028	Screw (6-40 × 15/16	81824	Nut (4-4) Hex) 7	34057	Tenninal 8
	Hex) 14,33B	81825	Capacitor - 1/100 MF 7	84114	Yoke 4,39
78205	Resistor (300 ohms) 7	R2049	Screw (4-40 x 1-1/16	84115	Armoture 4,30
78206	Resistor Assembly 7		Rd) 31	84131	Plate, Mounting 8
78420	Collar, Set 21	82084	Set of Parts 330	84132	Arm, Operating 8
7B430	Clamp, Coble 16	82092	Latch, Lever 330	84133	Rod, Tope Stop 8
78596	Washer, Spring B	82093	Lever, Operating 330	84134	Brocket, Contact B
78905	Wosher, Insulating 13	82094	Brocket 33D	8 413 5	Cover, Switch 40
	14,338	82095	Brocket 33D	84136	Switch, Assembly 40
79012	Washer, Fiber 33D	82095	Spring, Contact 33D	84139	Geor - 401 17,18
79013	Wosher, Flor 33D	82097	Spring, Contact 330	84140	Pinion - 9T 17,18
79060	Spocer 28	82078	Nut (10-32 Hex) 33D	84141	Geor - 427 16
80153	Resistor (1410 ohms) 1,37B	82099	Post 33D	84142	Piinion - 97 16
80163	Gear - 44T 16	82100	Brocket 33D	84347	Disk Assembly 3
80164	Pinion - 61 16,21	82101	Panel 33D	84348	Dîsk 3
80165	Gear - 44T 16	82103	Relay Assembly 33D	84349	Rimg, Segment 3
80166	Pision - 9T 16,21,33	82155	Coble, Motor Switch 1	84352	Strap, Terminal 5
80255	Screw (4-40 x 21/64 Fil) 9	82249	Washer, Flat 1A,3	84353	Strop, Terminal 5
90287	Post, Spring 33D	82283	Motor, 1/40 HP, AC	84354	Wosher, Flat 22
80334	Terminal 30	60000	Syn. 16	84357	Geor -401 17,18,21
80342	Screw (6-40 x 23/64	82378	Modification Kit 7,34	84359	Bearing 20
	Hex) 2,10,11,20,21,	82391	Capacitor (1/2 - 1/2	84360	Shoft 20
	26,27,29,33,338, 33 C,	00.47	MF) 7,16,17	84362	Guard 21
	33F,35, 3 7, 3 7A, 3 7B	82474	Terminal 5, 13, 14, 16,17,33B	84365	Bearing 20

Part	Description and	Part	Description and	Port	Description and
Number	•	Number	Page Number	Number	Page Number
84366	8cze 21	86706	Moror Amangement "AH"	87257	Caver - Front 22
84367	8ridge 5, 20, 39		18	87371	Pinion - 61 16,33
84368	Arm, Clutch 20	86707	Motor Airangement "AJ"		
		00/0/	16	87372	Gear - 34T 16
84369	Sleeve, Friction 20	0 (200		B7373	Motor Arrangement "88" 16
84371	Lever, Contact 20	86708	Motor Arrangement "AK"	87390	Modification Kit 4,34
84373	Bushing 20,21	24774	16	87393	Disk, Code 25
84374	Shalt 2)	86774	Screw (6-40 Shoulder) 33C	87395	Disk, Code 25
84375	Pinion - 12T 21	86809	Geor-511 16	873%	Disk, Code 25
84375	Pinion - 3T 21	86810	Pinion 111 16	87397	Disk, Code 25
84377	Goor - 607 21	86811	Guard, Governor 1,17,18	87403	Spring 33A, 37A
84378	Hub, Gear 21	86815	Arm, Onish Holder 4,39	87406	Disk, Code 20,25
94 1 79	H ub 20	86816	Stop, Ecoentric 4,39	87409	Disk, Code 25
84381	Geor - 48T 20	86819	Callar, Spacing 4,39	87410	Diski, Code 25
84383	Shaft 20	96853	Brocket Assembly,	87411	Disk, Code 25
84384	Spacer 20		Contact 17,18	87412	Disk, Code 25
84385	Stud 20	86951	Resistor (175-350 ohms)	87413	Disk, Code 25
84371	Shof:, Main 21		4,7,39	87414	Disk, Code 25
84392	Bose 22	85953	Biacket, Centact 7	87415	Disk, Code 25
84393	Brocket 20	86955	Spring, Contact 7	87416	Disk, Code 25
84550	Screw (6-4) Shaulder) 33D	86958	Spring, Cantact 7	87417	Disk, Code 25
84552	Caver, Transmitter 41	86959	Bushing, Insulating 7,26	87418	
845534		86960			Disk, Code 25
84579	Vyasher, Flat 6,33C		Contact Assembly 7,39	87419	Disk, Code 25
B4593		87095	Gear - 36[16	87420	Disk, Cade 25
	Modification Kit 11	87117	Motor Arrangement "AM"	87421	Disk, Code 25
84594	Bnacket 11,26,33C,33F	4	17	87422	Disk, Code 25
B4595	Brocket Assembly, Contact	87118	Motor Allangement "AN" 16	87423	Disk, Code 25
0.4507	11	8711	Motor Arrangement "AP"	87424	Disk, Code 25
84597	Bracket, Spring 11,33C,		18	87468	Black Assembly 20
	33F, 37	87120	Motor Arrangement "A "	87469	Cable 1
84598	Spring, Contact - Long		18	B7493	Shim (.035") 22
	11	87121	Meter Arrangement "AR"	87494	Disk, Code 25
84599	Coble 11		17	87635	Screw (6-32 x 1/2 Flat)
84705	Spring, Contact 33C,	87126	Motor Anongement "AW"		15
	33F		18	87636	Screw (2-56 x 3/16 Rd)
84759	Guard, Gear 1, 9, 22, 38	87127	Mator Anongement "AX"		1,15,22,33B,33E
84892	Stiffener 10,33C,33F		17	87638	Screw (2-56 x 3/32 Rd)
84990	5crew (6-40 x 1/4	87145	Disk, Code 25		336
	Flot) 1,14	87147	Disk, Code 25	87683	Cable 1
85386	Bushing 28	87148	Disk, Code 25	87898	Channel, Rubber 22
85483	Spacer 1,35,37A,37B	87149	Disk, Code 25	87899	Chonnel, Rubber 22
86194	Screw (8-40 x 4 Fil) 7	87751	Disk, Code 25	88094	Panel 33
86195	Resistor (1500 ohms) 7,39	87152	Disk, Code 25	88095	Set of Parts 33D
86699	Motor Arrangement "AA"	87153	Disk, Code 25	88752	Wick, Felt 18, 32, 37 A
	17	87213	Plate, Base 22	88802	Screw (6-32 x 1-1/16
86700	Motor Arrangement "AB"	87220	Bridge Assembly 20		Flat) 7,16,22
00,00	18	87221	Gear - 451 21	89481	Shalt, Tope Stop 4,31
86701	Motor Arrangement "AC"	87222	Geor - 44T 16,21	89482	Collor 4
007 01	17	87236	Screw (4-40 Pilot)22	89484	Clamp, Tape Stop 4,31
86702	Motor Arrangement "AD"	87227	Link 22	89485	Modification Kit 4
30702	18				
86703		87234	Spring, Detent 22	89522	Motor Allangement "BT" 16
00/03	Motor Anangement "AE"	87235	Plotte, Mounting 22	89593	Motor Arrangement "BS" 18
94704		87241	Shaft, Moin 2	89604	Pinion - 6T 18
86704	Motor Arrongement "AF"	87242	Com, Contact 2	89605	Gear - 401 18
04505	18	87252	Motor, AC Synchronous 16	89925	Terminal 7
86705	Meter Arrangement "AG"	372 53	Motor Arrangement AI-16	89969	Wosher, Fiber 7
	17	87255	Shaft Assembly 2,38,39	90027	Spring, Contact 33C,33E

Port	Description and	Por?	Description and	Part	Description and
Number	Page Number	Number	Page Number	Number	Page Number
90031	Spring, Contact 33C,	93012	Cover, Transmitter 41	97458	Bracket, Backstop 11
70001	338	93035	Bushing, Jusulating 7,17	97459	Plate, Blecking 11
90338	Stud 33E	93075	Nut (15/32-32 Ring) 1	97450	Magnet Assembly 11,378
90421	Spocer 31	93587	Washer, Flat 18,2,33E,38	97467	Contact Assembly
		93985	Wosher, Lock 7	77907	10,34,35,36
90432	Washer, Flat 33C	94098	Geor - 531 16	97468	
90517	Spring 32	94669	Screw (4-40 Shoulder) 29	7/408	Plate, Tape Guide
90573	Spring 32		Bracket, Filter 14	07460	33F,34,36,40
90791	Washer, Lock 25	94678		97469	Cable Assembly 12
91099	Spacer 12	94679	Copocitor (1/10-1/10 Mf)	97470	Cord Assembly 12
91121	Motor Arrangement "BX"	0.4710		97474	Motor Arrangement "DJ"
Maria I	16	94718	Motor Anongement "CQ"		16
91131	Pinion - 13T 16,33	- 1000	17	97628	Clamp, Cable 12
91132	Gear - \$31 16	94832	Geor-42T 17	97716	Coble Assembly 12
91224	Cover Assembly,	94833	Pinion - 8T 17	97720	Spring, Contact 10
	Transmitter 41	95063	Plug - 3 Prong 13	97721	Spring, Contact 10
91225	Motor Amungement "82"	95165	Geor - 47T 21	97847	Plug - 21 Terminals 12
	17	95174	Cover, Transmitter 15	97848	Socket, Terminal -
91226	Coble, Control 1	95198	Pinion - 14T 23		21 Terminals 12
91227	Coble, Line 1	95199	Gear - 591 23	97884	Coble 12
91282	Gear - 32T 17,18	95594	Motor Anongement "DD"	97885	Coble 12
91283	Pinion -77 17,18,33	10014	16	97921	
91284	Gear- 477 16	05025		97921	Com, Operating 11
		95935	Bushing, Insulating 13,		Plate, Step 10,27
91285	Pinion - 12T 16,21,33	05084	14,33B	98069	Guide, Tape 9,34
91502	Cable 1	95936	Coil, Choke 13, 14, 33B	98137	Madification Kit 34
91 503	Matar Arrangement *CA*	95937	Copocitor - 1/100 MF	98142	Spocer 32
	17		14,33B	98337	Spacer 15
91504	Plnion - 10T 17,18	9593B	Capacitar - 1/10 MS	98386	Cord 12
91505	Gear - 54T 17,18		14,17,33B	98414	Eccentric 28,35
91617	Shlm (.010") 17,18	95953	Shim (.002") 10,31	98444	Guide, Tope II
91683	Nut (15/32-32 Hex)	95954	Plate, Screw 10	98552	Motor Arrangement "●R"
	1,1A,30	95957	Panel, Snap 41		16
91684	Nut (15/32-32 Ring)	96204	Stiop 378	98553	Pinion - 8T 16
	1,1A,30	96258R	Wire, Connector 34,36	98554	Geor - 43T 16
91704	Pinton - 9T 16	96475	Disk, Code 25	98832	Screw (4-40 x 11/16 FIT)
91705	Geor - 35T 16	96476	Disk, Code 25	,,,,,	33C,33F
91707	Motor Arrangement "CD"	96477	Disk, Code 25	98869	Spacer 15
717 07	16	96478	Disk, Code 25	99230	Plate, Lid 9, 10, 31
91739	Strip, Insulating 5	96479		99250	Filter Amembly 14,17
91904	Wosher, Flot 4,32		Disk, Code 25	99257	Cantact Assembly 330
	· ·	96883	Terminal 5	99354	-
92171	Bracket 6,13	97211	Com 38		Container 14,33B
92216	Filter Assembly 14	97401	Spring 378	99355	Brocket 14,17
92217	Filter Assembly 6,13	97443	Plate, Bose 1,38	99355	Bracket 14
92226	Filter Assembly 6,7	97444	Rail, Guide 1	99357	Clip 14,17
92271	Capacitor - 1/10 Mf 13	97445	Lid, Retaining 9,10,31,	99406	Pinion - 7T 16
92433	Disk, Code 25		40	99407	Geor - 42T 16
92490	Pinion - 11T 23	97446	Bracket, Contoct 10,27	99437	Motor Anorgement "DU"
92491	Gear - \$8T 23	97447	Pin, Contact 10,34,35,		16
92527	Washer, Lock 8		36,37	99925	Switch, Delay 31
92668	Post, Spring 33E	97448	Guide, Contact Pin	100419	Stiffener 29
92881	Mator Arrangement "CT"		10,34,35,36,37	100421	Bushing, Insulating 33E
, ,	16	97449	Coble 10,34,35,37	101104	Post, Spring 33C
92837	Geor -54T 16	97451	Modification Kir 34	101273	Disk, Code 25
92888	Pinian - 147 16	97452	Lever, Feed 11,378	101274	Rod, Tope Stop 4,31,39
		97453	Powl, Feed 11,37B	101389	Modification Kit 10,34
92889	Meter Anongement "CS"			101393	Lid Assembly 10,34,
-600-	16	97454	Brocket, Magnet 11	101373	35,36
93009	Brush 4	97457	Armature 11		39,00

Port	Description and	Port	Description and	Part	Description and
Number	Page Number	Number	Page Number	Number	Page Number
101439	Stop, Feed Lever 6, 10,	104535	Lever Assembly 14	105173	Disk. Code 25
202442	33, 34, 35, 37A, 37B, 38	104536	Strop 14	105220	Bushing, Involuting 9
101441	Cam, Operating 2,10, 34,38	104537 104538	Heak, Spring 14,28 Spring 14	105287	Guide Assembly,
101456	Screw (6-32 x 9/32 Rd)	104539	Lever, Clutch 1	105290	
101400	5	104540	Brocket, Mognet	105329	Guide, Tope 31 Motor Arrangement "FH"
101481	Modification Kit 35	104340	Mounting 14	105527	18
301533	Holder Assembly, Brush 4	104576	Ring, Collector 3	105483	Motor Arrangement "FM"
101713	Terminal 5,10,33	104577	Ring, Segment 3		17
101714	Sprcing 10,33	104579	Pinion - 7T 16,18,35	105523	Motor Arrangement "FR"
101715	Spring Assembly 10,33.	104580	Geor - 30T 18,35		16,18
	34,36,37A,37B	104657	Guard, Gear 1,35,37A,	105527	G cor - 35118
101827	Cover, Transmitter 41		378,38	105528	Pinion - 4T 18
101828	Cover Assembly,	104658	Geor -45T 17,18,35	105529	Motor Arrangement "FP"
.0.000	Transmitter 41	104659	Platon - 97 17,18,36		18
101829	Panel, Snop 41	104560	Plote, Cover 41	105635	Switch, Toggle 1
101830	Plore, Bose 1,38	104661	Main Staft Assembly 38	105702	Geor - 50T 18
101965	Plug 12	104662	Coble Assembly 13,35	105703	Pinion - 4T 18
101966	Plug 12	104663	Cord Assembly 13,35	105705	Gear - 48T 16
101 967 10 2065	Roil - Right 8,22	104669	Magnet Assembly 14,35,	105706	Pinion - 4T 16
102066	Plate, Mounting 40	10.4671	37A,37B,38	105707	Motor Arrangement *FZ*
102067	Plate, Mounting 40 Roil -Right 40,41	104671	Coble 13		16
102068	Roll -Right 40,41	104672	Plug - 12 Prong 13	105708	Motor Arrangement "FW"
102069	Roil - Left 8,22,40,41	1040/3	Motor Arrangement "EX"		18
102070	Roil - Left 40	104674		105718	Block 15
102072	Brocket - Left 40	1040/4	Motor Arrangement "EV"	105803	Switch, Toggle 1A,30
102162	Guard 40	104675		105863	Coble A
102170	Armature 4	1040/3	Motor Arrongoment PEZI*	105905	Motor Arrongement "FS"
102286	Power Cond 1,12	104676	Strip, Terminal Block	10.5015	18
102316	Bracket 12	10,10,10	12,35	105915	Motor Arrongement "GM"
102330	Spring, Contact 33C	104677	Disk Assembly,	105927	16
102480	Screw (6-40 x 11/16	10 1011	Retaining 3,35	103727	Motor Arrangement "GL"
	Fil) 11	104678	Disk Assembly 3,35	105940	Stiffener 33C, 33E
102520	Rod, Slotter 4,39	104718	Eccentric 31	105020	Filter Assembly 6
102970	Plate, Base 1,35,38	104719	Brocket 31	106115	Cam, Contact 2
103062	Brocket 338	104720	Stop Asiembly, Tope 31	106117	Shoft, Main 2
103080	Filter 338	104767	Disk, Code 25	106119	Shaft Assembly 2,39
103083	Coble 1	104782	Filter Assembly 13,35	106121	Disk 3
103182**	Panel, Snap 15,41	104801	Cord Assembly 13,35	106124	Handle 3
103183	Panel, Snop 41	104837	Clonp, Plate 14	10516	Filter Assembly 14
103184	Panel, Snap 41	104841	Guide, Tope 15,35	106187	Cord Assembly 13
103352	Coble 1	104870	Retainer, Oil - Felt 11	106394	Coble 1
103798	Dick, Code 25	104871	Retainer, Oil - Feit 11	106308	Resistor (700 ohms) 7
103799	Disk, Code 25	104872	Lever Assembly, Clutch	106922	Modification Kit 36
104093	Disk, Code 25		11,35,38,39	106956	Gear Ser 16
104451	Washer, Lock 17,18	105056	Guide Assembly, Tope	106976	Stop Magnet Assembly
104517	Modification Kit 35,36	*****	11,28		26
104518	Modification Kit 3, 36	105057	Guide, Tape 28,33F,35	107025	Collor 31
104527 104528	Disk 3	105066	Shaft, Main 2	107172	Plote, Instruction 338
104528	Disk., Retaining 3	105068	Disk, Friction 2	107206	Plote, Adopter 1 A
104527	Horidle 3 Scale, Ronge 3	105069	Cover, Bearing 2	107207	Spring, Contact 33C,
104532	Armoture 14	105070	Nut, Friction 2	10700	33F
104533	Stud 14	105071	Shaft Assembly 2,35,39 Hub, Com 2	107208	Contact Assembly 33C,
104534	Lever, Aimoture 14	105172	Disk, Code 25	10.7000	33F,37
10 7007	and the second s	1041/2	MINN COUR ES	107209	Shield, Relay 33B

Port	Description and	Por'	Description and	Part	Description and
Number	Page Number	Number	Page Number	Number	Page Number
107217	Ring, Segment 1A	110440	Dowel 9,10,31	111459	Plate, Mounting 33E
107218	Disk I A	110699**		111460	Stud 33E
107219	Disk Assembly 1A	110743	Wosher, Lock 18,9,10,	111604	Motor Arrongement "GW"
107220	Lever. Operating 33C		27,32,33f,34,35,36,		18
107221	Lever. Operating 33C		37,37A	111627	Plate, Tape Guide 9,
107222	Link 33C	110879	Spring 28		10,27,33F,34,40
107223	Extension 33C	110883	Pinion - 121 16,26,33,	111628	Lic., Retainer 9.10,27,
107224	Pawi. Lock 33C		378		40
107225	Lever, Stop 33C	110884	Gear- 361 16,26	111630	Coble Assembly 13
107226	Lever, Switch 1A	110885	Arm 26,33,37A,378	111631	Lid Assembly 10,34
107228	Brocket, Contact 33C	110886	Anchor, Spring 6,26,	111636	Coble 13
107229	Post, Stop 33C		33,37A,37B	111688	Wire, Committee 36
107230	Relay 33B	110887	Sciew (1/4-32 x 11/32	111689	Wire, Connector 36
107231	Bracket Assembly 33C		Rd) 26,33,37A,378	111693	Armoture 33E
107232	Spring 33C	110895	Modification Kit 26,36	111694	Stud 33E
107235	Bracket, Switch 1A	110896	Modification Kit 26,36	111595	Screw, Adjusting
107236	Sushing, Insulating	111001	Motor Arrangement "GV"		(4-40) 33E
101 = 30	33C,33F		16	111696	Pawl 33E
107237	Cantact Assembly 33C	111085	Spring, Centact 33C	111697	Bushing 33E
107239	Strip, Pivot 1A	111086	Spring, Contact 33C	111698	Screw (4-40 Shoulder)
107239	Spring 33C	111087	Brocker, Contact 33C		33E
107240	Pawl, Lock 33C	111088	Contact, Assembly 33C	111699	Lever, Contact 33É
107241	Brocket - Right 6	111126	Madification Kit 27,36	111700	Post 30E
107291	Plate, Instruction 338	111129	GeorSet 17,18	111701	Biocket 33E
107292	Plate, Instruction 338	111130	Gear Set 17,18	111702	Yoke 33E
107293	Plate, Instruction 338	111131	Gear Set 17,18	111703	Brocket 33E
107335	Strike, Latch 15	111132	Gear Set 16	111704	Lock 33E
107356	Motor Arrangement "GE"	111133	Gear Set 16	111705	Rod, Push 33E
107 050	18	111134	Gear Set 16	111706	Pin, Stop 33E
107393	Switch, Toggle 1, 1A,21	111135	Gear Set 18	111707	Spring 33E
107459	Com 26	111136	Geor Set 16	111708	Knab 33E
107462	Gegr- 497 16	111138	Gear Set 16	111767	Washer, Flot 33E
107463	Pinion - 15T 16	111 139	Geor Set 17	111787	Contact Assembly 33E
107490	Disk, Cover 25	111140	Gear Set 17,18	111968	Guide 33E
107492	Bracket 21	111141	Geor Set 17,18	111969	Brocket Assembly,
107660	Roller 29	111142	Gear Set 16	111101	Magnet 33E
107669	Retainer, Tope 27	111144	Geor Set 16	112004	Stop, Feed Pawl Lever 6
107724	Pawl, Tape Feed 27	111145	Gear Set 18	112119	Modification Kit 28,36
107725	Screw (4-40 Shoulder) 27	111146	Gear Set 16	112127	Pivot 30
108102	Screw (4-40 x1/4 Flot)	111147	Gear Set 17,18	112128	Retainer 30
100102	27	111148	Geor Set 16	112462	Blode, Restoring 28
108215	Capacitor - 1/4 MF 1,38	111150	Geor Set 16	112463	Stud 28
108254	Cord Assembly 13, 36	111151	Gear Set 17	112464	Extension 28
108305	Plug - 2 Prong 13	111152	Gear Set 16	112465	Lever Assembly 28
108307	Card 13	111156	Gear Set 16	112466	Brocket 28
108460	Sciew (6-32 x 13/32	111161	Gear Set 17,18	112467	Lever, Trip-Off 28
100-100	Pon) 338	111162	Gear Set 16,18	112468	Lever, Non-Repeat 28
108580	Gear - 30T 16	111163	Gear Set 18	112469	Bushing 28
108729	Cover, Rubber 13	111164	Geor Set 18	112470	Lotch, Trip-Off 29
108748	Wosher, Retaining 13	111165	Gear Set 16	112471	Lever Assembly 28
110388	Screw (4-40 x 7/16	111377	Detent 28,31	112472	Ecoentric 28
110000	Fil) 3	111453	Madification Kit 338	112473	Lever, Lotch 28
110434	Screw (4-40 x 3/16	111455	8reak - Lock	112474	Shim (.005*) 28
110424	Fil) 14,27		Mechanism 33E	1 12475	Eccentric 28
110435	Nut (4-40 Hex)	111457	Strap 33E	112509	Insulator 33E
11070	29,30,33E	111458	Plate Instruction 33E	112577	Roller 6,33C
	a),50,69L	111-140			

Part	D escription and	Part	Description and	Port	Description and
Number	Page Number	Number	Paga Number	Number	Page Number
112585	Disk, Code 25	113772	Modification Kit 32,33,	118869	Cable 26
112586	Disk, Code 25	113//2	36	118 908	Motor Arrangement "JS"
112611	Motor Arrongement "GZ"	113773		110 300	
112011	18	113//3	Modification Kit 32,33,	119221	16 Bushing, insulating 30
112622	Sciew (4-40 Shoulder)	113774	Modification Kit 32,33,	119647	Ring, Retaining 31
	5,378		36	119649	Ring, Retaining 31
112623	Screw (1/4-32 Pilot) 6	113775	Modification Kit 32,33,	119651	Ring, Retaining 29,31
112624	Screw (4-40 Shoulder)		36	119660	Motor Anongement "JT"
01202	9,31	113776	Modification Kit 37	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	18
112626	Nut (10-32 Hex) 6,20,	113812	Block, Terminal 1,38	120406	Geor - 26T 16
1111120	29,33C	113891	Filter Assembly 17	120407	Pinion - 77 16
112627	Nut (2-56 Hex) 15,22,	113892	Bracket 17	120 413	Geor Ser 16
112027	25,338,33E	114067		120448**	Switch Assembly 8, 40
112628	Nut (3-48 Sq) 5,20	114337	Pilote Assembly, Top 27	120449**	
112632	Spring, Detent 9,31	114 337	Motor Allangement "HP"	Charles of the walk to	
112635		11.4220	16	120450	Plate, Code (8eil) 1,35
	Spring, Latch 9,10,31	11 4338	Gear - 52T 16	120459	Plate, Nonve 1
112636	Spring, Feed Pawl 5	114339	Pinion - 8 T 16	121085	Motor Arrongement "KG"
112673**	Ponel, Snap 28	114454	Pinion - IIT 16	101004	18
113077	Post, Spring 29	114455	Geor - 49T 16	121086	Pinion -10T 18,33
113204	GearSet 16	114590	Gear Sei 16	121087	Gear - 491 18
113205	GeorSat 17,18	11 46 1 0	Motor Anongement "He"	121430	Motor Arrangement "KH"
113206	Gear Set 16		18		16
113207	GearSat 16,17,18	114611	Motor Arrangement "HR"	121465	Plate, Adjusting 28
113378	Spring, Contact 27		17	121466	Lever, Restoring 28
113379	Spring, Contact 27	114704	Motor Arrangement "HS"	121467	Motor Arrangement "KL"
113381	Lever, Tope Release 27		17		18
113382	Block, Booring 27	114713	Cover Assembly,	121927	Strep 14
113383	Spring, Dotent 27		Transmitter 15,41	122293	Motor, D.C. Governed
113384	Plote, Clamp 27	115529	Screw (6-40 x 11/16		17
113387	Dotant 27		FII) 33A,37A,37B	122295	Motor, A.C. Governed
11 3388	Screw (4-40 Shoulder) 27	115936	Modification Kit 25,37		18
113389	Plato, Top 27	115932**	Plate Assembly,	122297	Motor Governed 18
113390	Pin, Contact 27		Mounting 8,40	122741	Washer, Felt 29
113391	Eccentric 27	11593344	Plate, Mounting 8,40	122747	Washer, Friction 2,26
113392	Bracket 27	115935**		123314	Metor Arrangement "KP"
113393	Stop 27	115936**	Guard - Right B		18
113394	Guide, Lever 27	1159370+		123597	Step Assembly, Tape
113396	Motor Arrangement "HJ"	116766	Geor- 50T 16		4,39
	16	1 16767	Pinion - 11T 16,33	123710	Geor 5+17,18
113717	Modification Kit 29,30,	116804	Pliate, Tape Guide 9,37	123711	Pinion - 11T 17,18,33
	36	116805	Lid, Remaining 9,33F,37	123712	Geor-531 17,18
113751	Modification Kit 36	116956	Follower, Cam 30	123716	GearSet 17,18
113765	Madification Kit 32,33,	116 992	Screw (1/4-32 Pilot) -	123717	Pinion - 8T 17,18,33
	36		17,18	123718	Gear-53717,18
113766	Modification Kit 32,33,	117415	Motor Anangement "HY"	123771	Motor Assungement "KT"
1107 00	36		16	, = 0, 5	16
113767	Modification Kit 32,33,	117771	Motor Arrangement "JD"	124177	Washer, Lock 29
113/0/	36		18	124417	MotorArrangement "KV"
1137 68	Modification Kit 32,33,	118449**	Pariel, Side 338		18
113/00	36	118450**	Panel, Snap 338	124418	Motor Arrangement "KW"
112740		118451**	Cover, Transmitter 338	- 4410	17
113769	Modification Kit 32,33,	118452**	Base 1A	124419	Motor Anongement "KX"
110770	36	118452**		14417	17
113770	Modification Kit 32,33,		Plote, Cover 15,36,41	124512	Washer, Flat 29
***	36	118842	Contact Assembly 26		Com 33E
113771	Modification Kit 32,33,	118850	Bracket 26	124745	
	36	118851	Bracket 26	144///	Com Operating Lever 33E

Port	Description and	Part	Description and	Part	Description and
Number	Poga Number	Number	Page Number	Number	Page Number
124078	Washer, Lack 20	125870	Roller, Detent 9	126956	Post, Spring 29
125001	Screw (4-40 Shoulder)	125871	Halder, Lid 9,10,31	126958	Spacer 29
, 200	29,33E	125872	Shaft 9,10,31	126959	•
125003	Screw (10-1 x 1/2 Flat)	125873			Washer, Flat 30
125000	22		Latch 9,10,31	126960	Spring, Contact 30
125011		125874	Brocket - Left 6	126961	Cam, Operating 29
125011	Washer, Flat 9,10,11,	125882	Terminal 5,20	128586	Finger, Tope 31
	14,31,32,330,33E,35	125903	Brush 4	128687	Pin 31
106013	36,37	125914	Turminal 1 A,3	128688	block 31
125013	Strap 7, 16,17	126786	Disk Asambly 25	128689	Geor - 24T 31
125015	Washer, Flat 1	126787	Disk Assembly 25	128590	Shaft 31
125124	Scrow (4-40 Shoulder)	126788	Disk Amembly 25	128591	Ann 31
	9	126789	Disk Assembly 25	128592	Spring 31
125127	Scrow (6-32 x 7/16	126790	Disk Assembly 25	128693	Spring 31
	F11) 39	126801	Disk, Code 25	129694	Wheel, Reset 31
125144	Screw (4-36 x 1/8 Rd)	126802	Disk, Codo 25	128695	Geor - 24T 31
	7	126803	Disk, Code 25	128696	Plote, Tope Guide
125 55	Screw (6-40 x 1/2 Fil)	126804	Disk, Code 25		31,33F
	39	126805	Disk, Code 25	128697	Wheel, Feed 31
125197	Screw (3-48 x 5/16 Ad)	126806	Segment, Code Disk 25	128698	Plate, Top 31
	5,20	126807	Segment, Code Disk: 25	128699	Roll, Feed 31
125218	Nut (1/4-32 Hex) 4,11	126808	Segment, Code Disk 25	128700	Modification Kit 31,37
125229	Nut (6-32 Hex) 5	126809	Segment, Code Disk 25	123835	Helder Assembly 31
125268	Spring 28	126810	Segment, Codo Disk 25	129212	Bracket 30
125276	Pla I I	126811	Segment , Code Disk 25	12921 3	Bracket 30
125278	Pin 9,10,31	126812	Tool, Extraction 25	129214	Resistor Assembly 30
125280	Pin 9	126813	Spring 25	129222	Spring 30
125330	Screw (8-40 x 2-7/32	1 2681 4	Caver, Hub 20,25	129289	Disk 1 B, 32, 37 A
,2000	FII) 1, 7, 30, 378	126815	Screw (2-56 x 15/64	129290	Disk, Adjusting
125373	Screw (6-56 Contact)	120013	Hex) 25	12/2/0	1B, 32, 37A
12500 5	5,20	126890	Coble 30	129292	Lever, Release 18,32
125427		126925	Lever - "O" 30	127272	37A
	Bushing, Insulating 20	126926	Lever - "1" 30	129391	
125696	Past, Spring 4	126927	Lever - "2" 30	127371	Screw (3/16-40
125814	Bearing, Lever 6			126020	Shoulder) 29
126815	Bridge Assembly 5	126928	Lever - "3" 30	135030	Shoft, Main 18,32,37A
125816	Bridge 5	126929	Lover - "4" 30	13503i	Bearing 18,32,37A
126817	8radge 5	126930	Lever5- 30	135032	Cover, Beoring 18,32,
126818	Insulator 5,20	126931	Plore, Transmitter 29,30		37 A
125820	Tip-8ross 5, 20	126932	Brocket, Intermediate	135033	Cam 18,32,37A
126828	Shoft, Laver ó		29	135034	Drum, Clutch 18,32,
125829	Lever, Feed 5	126933	Lover, Intermediate 29		37 A
125833	Gulde, Lever 6	126934	Link 29	135035	Gear - 36T 16,33,378
125844	Lever, Adjusting 9	126935	Plate, Tap 29	135036	Gear - 44T 33
125848	Levar - 1 9	126936	Lid, Ploto 30	135037	Bearing 1B,32,37A
125849	Lever - #2 9	126937	Ptote, Tope Guido 30,33F	135038	Screw (6-40 x 9/16
125850	Lever - #3 9	126940	Contact Assembly 29		Hex) IB,32,37A
125851	Lever - 44 9	126941	Com 29	135039	Screw (1/4-32 x 3/4
125852	Lever - #5 9	126942	Bracket, Mounting 29		Pilot) 32,37A
125855	Terminal 20	126943	Cantact, Assembly 30	135040	Bracket, Spring 32
125856	Bleck, Terminal 5	126944	Lever Assembly 29,30	135041	Bracket 32
125858	Powl, Feed 5	126945	Roller 30	135042	Army Brush Holder
125860	Bracket - Right 6	126949	Spring, Contact 30		32,37A,378
125861	Roll, Feed 9	126950	Biocker 30	135043	Lever, Stop 32
125862	Bearing, Feed Rall 9,31	126951	Relay Assembly 30	135044	Lover, Latch 32
125867	Brocket, Detent 9,31	125952	Lever 29	1 350 48	Lever Assembly,
125868	Detent Assembly 9	126953	Spring, Contact 29		Operating 6
125869	Lever, Detent 9	126954	Brocket 29	135051	Main Shaft Assembly B

Part	D escription and	Part	Description and	Part	Description and
Number	Page Number	Number	Page Number	Number	Page Number
135053	Motor Arrangement "LL"	136025	Modification Kit 32,33,	138802	Coble 1
	16		37	138809	Mater Synchronous 16
135054	Matar Amangement "LM"	1 36026	Modification Kit 32,33,	138869	Motor Arrangement "MR"
135061	Gear - 351 17,18,33	136027	Modification Kit 32,33,	138870	Motor Arrangement "M5"
135062	Gear - 34T 16,33		37		16
135064	Gear - 321 17,18.33	136036	Gear- 44T 16	138932	Plate, Screw 33F,37
135065	Gear - 50T 16,33	136098	Modification Kit 27,37	138933	Guide, Tope 33F,37
135066	Gear - 53T 18,33	136100	Modification Kit 33F, 37	138934	Plote, Tope Guide 33F,
135067	Gear - 537 16.33	136126	Modification Kit 33F, 37		37
135068	Geor - 401 17. 18, 33	136147	Modification Kit 37A	138983	Powl, Tape Feed 27
135069	Gear - 53T 17.18,33	136149	Modification Kit 378	139109	Motor Arrangement "MV"
135070	Brocker 33, 37 A, 37B	136153	Modification Kit 378		16
135072	Washer, Lock 26,33,	136154	Modification Kit 37B	139196	Motor Allangement "MW"
	3 A,378	136423	Pinion - 181 16		16
135170	Motor Airangement "LP"	136424	Gear - 45T 16	139541	Post, Spring 33E
	16	136426	Matar Anangement "MK"	139542	Spring, Contact 33E
135171	Plnlan - 14T 16		16	139548	Bushing 28
135172	Geor-53T 16	136456	Gear Set 16	139752	Screw (4-40 x 11/64
135173	Gear Set 16	136525	Gear - 471 16,33		Fil) 27
135627	Spring 31	136540	Gear Set 16	139754	Screw (6-40 Shoulder)
135628	Spring, Wearing 31	136541	Pinion - 13T 16		33C
135681	Bracket, Contact 10	136542	Gear - 56T 16	39778	Switch, Toggle 1
135682	Contact Assembly,	136552	Pinion - 14T 16	139791	Screw (4-40 Shoulder)
	Tape-Out 10,37	136554	Motor Arnangement "MM"		33f,37
135684	Terminal Assembly 5		16	139972	Strip, Terminal 33E
135702	Motor Arrangement "LU"	136555	Geor Set 16	142546	Modification Kit 38
	17	136579	Pinion - 107 33	142547	Pinion - 10 T 38
135703	Motor Arrangement "LV"	136580	Gear- 42T 33	142548	Gear - 28T 38
4.76	18	1365B2	Pinion - 13T 33	142662	Pinion - 117 37A
135704	Motor Arrongement "LW"	136583	Gear-607 33	142663	Gear - 36T 37A
	16	136585	Geor-491 33	142708	Connector, Slip 1,38
135705	Motor Arrangement "LX"	136605	Motor Arrangement "MN"16	142712	Cable Assembly 3 B
	16	136841	Gear Set 18	142715	Gear- 497 16
135706	Motor Arrangement "LY"	136842 136843	Gear Set 16 Gear Set 16	142716	Gear - 45T 18
125707	16	1368 44		142718	Gear Set 18
135707	Motor Arrangement "LZ"	136845	Gear Set 17,18 Gear Set 17,18	142723	Matar Arrangement NG*
12.5700	18	136846	Geor Set 16	140704	
135708	Motor Arrangement "MA"	136847	Geor Set 16	142724	Metar Arrangement "NH" 16
135709	Motor Arrengement "M8"	136848	Gear Set 18	150029	
133707	17	136849	Gear Set 16	150040	Wick, Felt 18,32,37A Screw (6-40 x 5/8 Fil)
135710	Motor Amongement "MC"	136850	Gear Set 17,18	130040	18,6,16,20,28,32,37 A
100/10	18	136851	Gear Set 16	1 50043	Shoe, Secondary 18,
135711	Motor Americant "MD"	136852	Gear Set 17,18	1 30043	32,37A
100/11	17	136854	Motor Arrangement "MP"	1,50044	Shoe, Primary 18,32,37 A
135/12	Motor Arrangement "LS"	130034	16	1 50089	Screw (4-40 x 1/2 Fil)
	18	136856	Geor -49F 16	130007	4.7
135713	Motor Arrangement "ME"	136949	Com, Reset 33A,37A,	150241	Spring 18,32,37 A
	16	130747	3 B	150971	Coble 33F, 37
135714	Motor Arrangement "MF"	136950	Lever, Stop 33A,37A,	151346	Screw (6-40 x 3/8 Fil)
	17		37B		4,5,12,20,21,28,29,
135715	Motor Arrangement "MG"	136951	Lever, Latch 33A, 37A,		35
	18		31 7B	151442	Screw (6-40 x 1/2 Hex)
135898	Ball, Rubout 29	136952	Gear- 48T 16,33A		1,2,4,6,8,17,18,336
135899	Shoft, Rubout 29	138164	Motor Arrangement "GF" 17	151618	Screw (6-40 x 7/16 Fil) 5,6,20

Part Number	Description and Page Number	Part Number	Description and Page Number	Part Number	Description and Page Number
151629	Nut (6-40 Lug) 33A, 37A, 37B	151686	Screw (4-40 x 3/8 Fil) 7,9,11,28,31,33£	152893	Screw (4-40 x 1/4 Hex) 18,11,32,33E,37A
151630	Screw (6-40 x 1/4 Hex) IA,7,8,14,17,33C	151687	Screw (4-40 × 7/16 Fil) 32	153442	Screw (10-32 x 1/2 Hex) 1A,4,5,6,7,12,
151631	Screw (6-40 x 5/16 Hex) 1,1A,18,2,4,6,7,10,	151688	Screw (4-40 x S/8 Fil) 31,32	153538	13,21,30 Screw (6-40 x 7/16
	16,17,18,26,28,338, 33C,34,36,39	151692	Screw (6-40 x 3/16 Fil) 4,6,12,13	153631	Hex) 18, 14,32,37A Network 29
151637	Screw (4-40 x 1/4 Fil) 9,27,29,31,330,33E	151693	Screw (6-40 x 9/16 Fil) 5,12,20,31,35,39	153839	Scraw (6.40 x 5/8 Hex) 4,6,7,8,12,13,17,18,
151657	Scraw (6-40 x 1/4 Fil)	151723	Screw (10-32 x 3/8 Hex) 1A,330	*65000	21,30,338
151658	1,2,8,10,21,338,34 Screw (6-40 x 5/36 Fil) 1,6,9,12,15,27	151724	Scraw (10-32 x 5/8 Hex) 29	155098 156501	Plate, Potent 37A Screw (6-40 x 7/32 Fil) 8
151659	Screw (6-40 x 1/2 Fil) 6,21,39	151728 151733	Spring 18,32,37 A Screw (4-40 x 9/16	156740	Screw (6-40 x 7/32 Hex) 4,14,17,338
151685	Screw (4-40 x 3/16 Fil) 3,4,5,9,10,20,28, 31	151737	Fil) 4,8,10,26,29 Screw (4-40 x 11/64 FII) 18,32,37A	161347 178871 178872	Washer, Felt 30 Tubing, insulating 29 Tubing, insulating 29

1